

PRODUCT DATA SHEET

Monoethylene Glycol Iron & Chloride Free Grade

Produced using technology licensed by The Dow Chemical Company.

CHEMICAL DESCRIPTION:

Name : Monoethylene Glycol

CAS number : 107-21-1Formula : $C_2H_6O_2$

Monoethylene glycol (MEG) is a colorless, practically odorless, low-volatility, low-viscosity, hygroscopic liquid. It is completely miscible with water and in many organic liquids.

APPLICATIONS:

- Chemical intermediate in PET resin production
- Chemical intermediate for textile fibers
- Hydrate inhibitor for natural gas processing
- Base fluid for coolant production
- Octane booster agent
- Humectant in printing ink

TYPICAL PROPERTIES:

Physical Property*	Units	Typical Value
Physical appearance (25°C)	-	Colourless liquid
Molecular weight	g/mol	62
MEG content	wt%, min	99.9
Boiling Point @ 760 mm Hg	°C	196-205
Specific Gravity @ 20/20°C	-	1.1151-1.1156
Refractive Index @ 20°C	nD	~1.43
Vapor Pressure @ 20°C	mmHg	0.06-0.08
Viscosity, dynamic @ 20°C	сР	~21
Solubility in Water @ 20°C	wt%	100
Electrical Conductivity @ 20°C	micromhos/cm	1.07
Iron	ppm, max	0.10
Chlorides	ppm, max	0.2

^{*}These properties are typical but do not constitute specifications.

FOR MORE INFORMATION

Please contact PETRONAS Chemicals Group Berhad (PCGB)

Level 33, Tower 1, PETRONAS Twin Towers, Kuala Lumpur City Centre, 50088, KUALA LUMPUR, MALAYSIA. Tel: +(603) 20515000 or visit our site https://www.petronas.com/pcg/

Sales contact person; Tel: +(603) 2331 6063, Email: jiahaur.chong@petronas.com.my









MS ISO 9001:2000 REG. NO. A

MS ISO 14001 CERT. NO. 0008100

IMPORTANT NOTICE:

Information contained in this document is accurate and reliable to the best of the knowledge and belief of PETRONAS Chemical Group Berhad. The suggestions and recommendations offered herein serve as a guide in the use of these material and cannot be guaranteed because the conditions of use are beyond PCGB's control. PCGB assumes no responsibility for the use of information supplied, the application, adaption or processing of the products described herein and here by disclaims all liability (except as otherwise provided by the law) in regard to such use.