

PRODUCT DATA SHEET

ETHYLENE GLYCOL IRON & CLORIDE FREE GRADE

Produced using technology licensed by The Dow Chemical Company.

CHEMICAL DESCRIPTION:

Name : Monoethylene Glycol
CAS number : 107-21-1
Formula : C₂H₆O₂

Monoethylene glycol is a colorless, practically odorless, low-volatility, low-viscosity, hygroscopic liquid. It is completely miscible with water and in many organic liquids. MEG is mainly used in the production of polyester, polyethylene terephthalate (PET) and antifreeze solutions. Its hygroscopicity makes it useful as a conditioning agent in adhesives, cork, vinyl floor tiles, synthetic rubber, cellulose sponges, printing inks and paper products.

APPLICATIONS:

- Plasticizers
- Solvents Coupler
- Humectants
- Antifreeze additive
- Heat transfer agents or fluids
- Polyester & PET
- Unsaturated polyester resins
- Chemical intermediates

TYPICAL PROPERTIES:

Physical Property*	Units	Typical Value
Molecular Weight	g/mol	62
Boiling Point @ 760 mm Hg	°C	197
Vapor Pressure @ 20°C	mmHg	0.06
Specific Gravity @ 20/20°C	-	1.115
Freezing Point	°C	-11.2
Viscosity @ 20°C	cP	19.8
Surface Tension @ 25°C,	dynes/cm	48
Refractive Index @ 20°C	nD	1.43
Evaporation Rate (Butyl Acetate=1)	-	0.01
Solubility in Water @ 20°C	wt%	100
Electrical Conductivity @ 20°C	micromhos/cm	1.07
Iron	ppm max	0.00 - 0.10
Chlorides	ppm max	0.0 - 0.2

*These properties are typical but do not constitute specifications.

FOR MORE INFORMATION

Please contact **PETRONAS Chemicals Group Berhad (PCGB)**, Level 15, Tower 1, PETRONAS TWIN TOWER, KLCC, 50088 KUALA LUMPUR, MALAYSIA.

Tel: +(603) 20515000 Fax: +(603) 20511501 or visit our site www.petronaschemicals.com

Sales contact person; Tel: 03-23314239 Email: fairinhanim@petronas.com.my



MS ISO 9001:2000 REG. NO. AR4.088
(DERIVATIVES PLANT)

MS ISO 14001 CERT. NO. 00081001

IMPORTANT NOTICE:

Information contained in this document is accurate and reliable to the best of the knowledge and belief of PETRONAS Chemical Group Berhad. The suggestions and recommendations offered herein serve as a guide in the use of these material, and cannot be guaranteed because the conditions of use are beyond PCGB's control. PCGB assumes no responsibility for the use of information supplied, the application, adaption or processing of the products described herein and here by disclaims all liability (except as otherwise provided by the law) in regard to such use.