

PRODUCT DATA SHEET

(CARBOWAX™ Polyethylene Glycol PEG) 400

Polyethylene glycol with molecular weight of 400, HO-(CH₂CH₂O)_n-H. Produced using technology licensed by The Dow Chemical Company.

CHEMICAL DESCRIPTION:

Name : Polyethylene Glycol
CAS number : 25322-68-3
Type : Oxyalkylene Polymer

APPLICATIONS:

- Adhesives
- Chemical Intermediates
- Food Packaging
- Inks
- Lubricants
- Mold Release Agent
- Plasticizer
- Soap & Detergent

TYPICAL PROPERTIES:

Physical Property*	Units	Typical Value
Molecular Weight	g/mol	380 - 420
pH-5% in aq @ 25°C	pH	4.5 - 7.5
Color	PtCo	18 max
Water	wt%	0.5 max
Acidity, as Acetic Acid	wt%	0.02 max
Viscosity @ 210°F (99°C)	cSt	6.8 - 8.0
Physical State	-	Liquid
Odour	-	None / mild
Boiling Point	°C	> 200 (decompose)
Melting Point	°C	4 - 8
Solubility in Water @ 20 °C	wt%	100

*These properties are typical but do not constitute specifications.

FOR MORE INFORMATION

Please contact **PETRONAS Chemicals Group Berhad (PCGB)**, Level 15, Tower 1, PETRONAS TWIN TOWER, KLCC, 50088 KUALA LUMPUR, MALAYSIA.

Tel: +(603) 20515000 Fax: +(603) 20511501 or visit our site www.petronaschemicals.com

Sales contact person; Tel: 03-23318238 Email: zaki_azzudin@petronas.com.my



MS ISO 9001:2008 REG. NO. AR4088
(DERIVATIVES PLANT)



MS ISO 14001:2004 REG NO. ER0455



IMPORTANT NOTICE:

Information contained in this document is accurate and reliable to the best of the knowledge and belief of PETRONAS Chemical Group Berhad. The suggestions and recommendations offered herein serve as a guide in the use of these material, and cannot be guaranteed because the conditions of use are beyond PCGB's control. PCGB assumes no responsibility for the use of information supplied, the application, adaption or processing of the products described herein and here by disclaims all liability (except as otherwise provided by the law) in regard to such use.